

## Bag tutorial using a resist –By Chrissie Day ©2009

see tutorial on designing templates



template laid on towel and bubblewrap



yarn used 85gms from poshyarns



dividing fibres, a width as thick as your thumb



lay edges out first these you will keep dry until you fold them over  
when side 1 is completed



1<sup>st</sup> layer laid out overlapping each other.



2<sup>nd</sup> layer laid out 90° to previous layer



3<sup>rd</sup> layer laid out at 90° to previous layer



netting on after 4<sup>th</sup>




soap ready to grate and add to boiling water



this is the amount of water I will use for the whole bag



water on and hand in plastic bag to gently move over the wet fibres—do this until they are holding



extra fibres laid diagonally for support on the base



net off and turn over showing dry edge




lay fibres as for first side



press fibres down gently between layers




keep pressing down all along the bag



net on water 2<sup>nd</sup> side




hand in bag and rub the edges firmly all around the bag



showing the 3 layers of towel,bamboo mat,bubblewrap



after 20 rolls each side you will see the curl appear this is because the template is now larger than your shrinking felt



more curl showing and left to rest




fibres remaining 31gms 54gms used in bag



now cut along the line and remove template



see the shrinkage !more rolling



needed finishing to follow

30°shrinkage now achieved left to rest –step 2 bag

